

GOODBUYS

surplus boatbuilding materials

If you would like an up to date version of this list please contact the SAILSetc office – ask for ‘GOODBUYS surplus boatbuilding materials - SP02’

*for - surplus sailcloth & sail making materials – see
GOODBUYS SP03*

*Used moulds that are no longer required by SAILSetc are listed on the **For Sale Mould List**. Around 60 moulds are offered. Please ask for a copy if you are interested.*

Please Note

- 1 Most items here are unsuitable for use in our own production hulls and other mouldings. The reason will vary from item to item - it may be that there are small faults, there is some problem with compatibility, we have too many in stock or we have just found that we have no use for them at present because we have re-designed the way we make things. The general quality will be reflected in the price.

Some other items are listed here simply because there is not enough room in our current price list, or because they were not available when it was printed. Prices are not, therefore, discounted.
- 2 Prices include VAT at 20.0%.
- 3 All goods are offered subject to being unsold.
- 4 Please 'phone to reserve items required before sending any payment. Items will be reserved for 10 days before being re-offered.
- 5 Trade customers – please see the Trade Price List.
- 6 Packing and delivery will be charged at cost and can be advised on receipt of your requirements if required.

mouldings

yachts and yacht moulds

Look for the website link to Odds and Ends.

decks

| | | |
|------|---|-----|
| MD69 | Foredeck + track recess – item 367A. Carbon/epoxy. 2 layers of 200 gsm carbon only | £30 |
| MD71 | Centre deck, fore part, coloured gel coat, item 311E. Glass/epoxy. 2 layers of 200 gsm glass. Light grey gel coat. Suitable for a boat of at least 190 mm beam at the mast position. As used on IKON and PRIZM (in carbon) and other wider boats. With recess for fin bolt and with peel ply on the back. | £25 |
| MD72 | Centre deck, fore part, coloured gel coat, similar to item 311RG. Glass/epoxy. 2 layers of 200 gsm glass. Blue gel coat. Suitable for a boat of at least 140 mm beam at the mast position. As used on FRAKTAL and QUARK (in carbon) and other narrow boats. With recess for fin bolt. | £25 |

deck beams, tubes

| | | |
|------|--|----|
| MD72 | Deck beam. Glass/epoxy. Silver grey gel coat. 225 mm long, tapering from 55 wide x 25 mm deep in centre to 35 wide x 25 mm deep at ends. | £5 |
|------|--|----|

pot recess, pot rings

rc mountings, moulded fairleads

| | | |
|-------|--|-----|
| MD63 | RC mounting, item 311P. Carbon/epoxy, Perfect. Cut for RMG280 and Futaba servo. No longer used in SAILSetc boats | £45 |
| MD74 | RC mounting. Item 311P as used in SAILSetc IOM where an RMG280 will be used. Glass/epoxy. Clear gel coat. 205 mm long, 150 mm wide. With moulded cut outs for RMG280, rc containment pot, port side rudder servo, starboard side rudder servo. Heavier than standard moulding. | £20 |
| MD86 | RC mounting, 311Q. Glass/epoxy suitable for mounting rc into an IOM. Mk 1 version with fixing points for servo and winch. | £10 |
| MD88 | RC mounting, un-coded, clear resin, epoxy/glass, as used in PIKANTO | £5 |
| MD90 | RC mounting, 311Q. Glass/epoxy suitable for mounting rc into an IOM. Cosmetic faults. | £10 |
| MD102 | Fairlead, 67G. Carbon/epoxy moulded fairleads shaped specially to fit PRIME NUMBER and DIAMOND hulls. Several available. | £1 |

fin box/mast tubes

| | | |
|-------|---|-----|
| MB108 | Mast tube, tube from item 338C. Carbon/epoxy. 145 mm deep, tapering from 30 x 17 mm at top to 17 mm Ø at bottom. One available. | £10 |
| MB22 | Fin box/mast tube, 338C. Carbon/epoxy. Poor internal surfaces. | £40 |

fins

| | | |
|------|---|------|
| MF15 | Part of 1992 fin, 360 mm long tapering from 130 mm to 70 mm. Asymmetrical section at top. Suitable for static model perhaps. | £5 |
| MF32 | Fin moulding, item 350H suitable for A Class or 6 Metre. 410 mm long tapering from 214 mm to 92 mm. Undersize for GUNBOAT but might be extended at the top to make a correctly sized fin. | £120 |
| MF39 | Fin, item 370-IOM suitable for IOM. Upper part is trimmed to fit a fin box, the section is finished to shape. Shaped for FRAKTAL but may be adapted to suit other designs. Leading edge fitted with fillet. | £50 |
| MF41 | Fin, item 370-IOM suitable for IOM. Experimental pre-preg version. 138 grams. As it has come out of the mould. 455 mm long, tapering 135 mm to 75 mm. | £70 |
| MF42 | Fin moulding, item 370-RG suitable for RG65 or FOOTY. 372 mm long tapering from 65 mm to 35 mm. Some cosmetic faults but otherwise the fin is perfect. | £60 |
| MF43 | Fin moulding, item 370-RG suitable for RG65 or FOOTY. 372 mm long tapering from 65 mm to 35 mm. Some cosmetic faults but otherwise the fin is perfect. | £60 |
| MF45 | Fin moulding, item 370-RG suitable for RG65 or FOOTY. 372 mm long tapering from 65 mm to 35 mm. Some cosmetic faults but otherwise the fin is perfect. | £60 |
| MF46 | Fin moulding, item 370-RG suitable for RG65 or FOOTY. 372 mm long tapering from 65 mm to 35 mm. Some cosmetic faults but otherwise the fin is perfect. | £60 |
| MF50 | 6% t/c fin 370-IOM suitable for IOM. 450 mm long tapering from 111 mm to 66 mm. Edges finished. 126 grams. An experimental lay-up. Finished to section | £70 |

ballasts

| | | |
|-------|--|-------|
| BAL01 | Lead shot. Mixed Ø 2.5, 3.0 and 3.5 mm to make a higher net density when used to add weight. 4.5 kgs available. | £6/kg |
| BAL02 | Ballast casting, 546 grams, finished with slot for 370-RG and fixing hole, 183 mm long x 28 mm wide x 23 mm deep. Painted red. | £40 |

RUDDERS – rudders have stocks, rudder mouldings do not have stocks

| | | |
|------|---|-----|
| MR34 | RG65 rudder. Epoxy/carbon, item 360-RG. 165 mm x 50 mm. Finished to section. 2.5 mm Ø stainless steel stock. Cosmetic reject. | £20 |
| MR36 | RG65 rudder. Epoxy/carbon, item 360-RG. 165 v 50 mm. Shaft damaged. Sold 01/18 | £20 |
| MR42 | M/10R rudder. Epoxy/carbon, item 360-M-10R, 225 x 83 mm. Not finished to section. Poor section shape. 4 mm stock. Sold 03/18 | £30 |
| MR44 | A Class rudder. Epoxy/carbon, item 360-A, 245 x 90 mm. Not finished to section. Poor section shape. 4 mm stock. | £30 |
| MR45 | A Class rudder. Epoxy/carbon, item 360-A, 245 x 90 mm. Not finished to section. Poor section shape. 4 mm stock. | £30 |

RUDDER MOULDINGS – rudder mouldings do not have stocks, rudders have stocks

MR17 Rudder moulding 360C ready to finish and add stock. Thinner than it should be at the top but OK for a 3 mm Ø stock.

bumpers – silicone rubber bumper mouldings & material

MR330 All have faults on the surface which render them unsuitable for use on any boat where cosmetic appearance is important. However they may be OK as spares or for cutting to make bumpers for other designs.

Tell us which SAILSetc boat you need a bumper for and we will see if we have one to suit. May be coloured. £3/each

MR330-FOAM

Various sized offcuts of the material we sell in 150 x 25 x 20 mm blocks. Most are around 140 x 25 x 15 mm, minimum 125 x 25 x 15 mm. Probably big enough for most applications but not to the size we advertise. £1/each

masts, tubes, metal etc**carbon GROOVY**

S51 12.7 mm carbon GROOVY. This material has a sideways bend and can be used on any yacht with rigging. Apply more tension to one shroud than the other and the mast will be much the same as any other mast at a much lower price.

1.5 metres long – side bend 1 to 3 mm over the length £40/piece
1.0 metres long – side bend 1 to 2 mm over the length £10/piece

S53 15.4 mm carbon GROOVY. 1100 mm long. Slight sideways bend. A few small holes. £35/piece

S54 15.4 mm carbon GROOVY. 1040 mm long. Straight. £35/piece

S55 15.4 mm carbon GROOVY. 1100 mm long. Straight. £50/piece

S56 15.4 mm carbon GROOVY. 1880 mm long. 2 mm sideways bend. £70/piece

S57 15.4 mm carbon GROOVY. 1910 mm long. 2 mm sideways bend. £70/piece

S58 10.5 mm carbon GROOVY. 500 mm long. £15/piece

carbon round tube

| code | diameter information | length | comments | pieces | price |
|------------|-----------------------------|--------|------------------------------|-------------------|-------------------|
| CR150 | 15 mm OD x 1.5 mm wall | 960 | intermediate modulus | 1 | £15 |
| CRT-140 | 14 mm tapering to 14 x 5 mm | 1400 | high modulus, 2 mm side bend | 50% of list price | |
| CR-140-LOW | 14 mm OD x 1 mm wall | 1000 | low modulus | 1 | 50% of list price |
| CR-140-IM | 14 mm OD x 1 mm wall | 1500 | intermediate modulus | 1 | 50% of list price |

| | | | | | |
|-------|---------------------------|------|-----------------------|----|---|
| CR155 | 13.7 mm OD x 0.85 mm wall | 1000 | high modulus | 11 | 60% of list price |
| S69 | 13.6 mm OD x 0.8 mm wall | 900 | high modulus | 1 | £25 |
| S70 | 13.6 mm OD x 0.8 mm wall | 1000 | high modulus | 1 | £28.50 |
| CR154 | 11.7 mm OD x 0.85 mm wall | 1000 | intermediate modulus | 2 | 50% of list price |
| S72 | 11.6 mm OD x 0.8 mm wall | 1000 | high modulus | 1 | £25 |
| S73 | 11 mm tapering to 8 mm | 1000 | intermediate modulus | 1 | £25 |
| CR152 | 9.6 mm OD x 0.8 mm wall | 1000 | high modulus | 4 | £22/each |
| CR107 | 10.7 mm OD x 1.35 mm wall | 1000 | high modulus | 11 | price as CR-100 and 25% off for the lot |
| S68 | 9.6 mm OD x 0.8 mm wall | 1000 | high modulus | 1 | £25 |
| S71 | 7.3 tapering to 5.4 mm | 1015 | low modulus, 15 grams | 1 | £12 |
| S72 | 11.7 tapering to 10.0 mm | 798 | 0.85 mm wall, low mod | 1 | £15 |

Items S68-S70 are samples tubes that were made with a low wall thickness. They are approximately 84% of the normal weight but are extremely stiff for their weight. S69 is 1000 mm long but is cracked along one end for 100 mm. These would be ideal spars for a super lightweight rig for a Marblehead or Ten Rater. Take all four pieces for a 10% discount.

Items CR151 and CR152 are low wall thickness versions of our normal high modulus tube. The stiffness is lower but the weight and price are proportionately lower too.

masts

S61 New mast for A(92LX) swing rig. POA

booms

B01 SAILSetc boom section. Black, 348 mm long, lightly scratched. 7 available. half list price

B02 Set of five curved booms made by Thomas/McDowell. 19 mm deep x 6.3 mm thick, full radius top and bottom. Fours at 570 mm and 1 at 480 mm. 26 grams for 570 mm length. Priced as for 12 mm round tube

glass tubes

S20 Glass tubes. Black, 12 mm Ø. 1 mm wall thickness. 1000 mm long. Like our carbon tubes but heavier and not so stiff.....and a whole lot less useful - hence the price. 25% discount for 100+, 33% for 200+ £1/each

aluminium tubes

S30 Aluminium tubes. 6.4 mm Ø. 0.7 mm wall thickness. 2000 mm long. Not anodised. £2/each

S31 Aluminium GROOVY, black anodised, 125 mm long, 16.7 Ø x 14.8 ID, several £1.00

| | | |
|-----|--|------------------|
| S32 | Aluminium GROOVY, black anodised, 125 mm long, 14.5 Ø x 12.9 ID, several | £1.00 |
| S33 | Aluminium GROOVY, black anodised, 125 mm long, 12.7 Ø x 11.3 ID, several | £1.00 |
| S34 | Aluminium tubes, black anodised, 125 mm long, 14.3 Ø x 12.8 ID, several | £1.00 |
| S35 | Aluminium tubes, black anodised, 125 mm long, 12.8 Ø x 10.7 ID, several | £1.00 |
| S36 | Aluminium tubes, black anodised, 125 mm long, 11.5 Ø x 10.2 ID, several | £1.00 |
| S37 | Aluminium tubes, 125 mm long, 11.5 Ø x 10.2 ID, several | £0.50 |
| S38 | Aluminium GROOVY, natural anodised, 2000 mm long, 9.7 mm Ø, two | priced as 11.1 Ø |

brass tubes

| Code | internal Ø | external Ø | length metres | £/metre | £/lot |
|------|---------------|---------------|---------------------------------|----------|-------|
| S01 | 18.7 | 20.5 | 1.22 | - | £10 |
| S02 | 18.0 | 20.0 | 1.40 | - | £10 |
| S03 | 15.9 | 16.9 | 0.75 | - | £5 |
| S04 | 14.0 | 16.0 | 1.94 | - | £10 |
| S05 | 14.0 | 15.8 | 7.40 | £6 | £30 |
| S06 | 13.6 | 15.0 | 3.30 | £6 | £15 |
| S07 | 13.4 | 14.4 | 3.49 | £6 | £15 |
| S08 | 12.3 | 13.5 | 1.59 | | £7.50 |
| S09 | 11.9 | 13.0 | 1.14 | | £5 |
| S10 | 11.4 | 12.5 | 0.95 | | £5 |
| S11 | 11.3 | 12.7 | 1.31 | | £5 |
| S12 | 11.2 | 12.6 | 3.04 | £5 | £10 |
| S14 | 10.9 | 11.9 | 0.89 | £5 | £4 |
| S15 | 1.6 | 2.4 | 0.92 x 24 pieces of square tube | £1/piece | £20 |
| S16 | 0.8 | 1.6 | 0.92 x 6 pieces of square tube | £1/piece | £5 |

Item S16 is a slide fit inside S15

fittings

| | | |
|-----|---|---------|
| F43 | Burgee components – laser cut stainless steel component parts for type of burgee sold up to end of 2009. There are the laser cuts parts for 108 ball raced burges, item 100B, of which 17 are already silver soldered. You will need to add bearings, fabric, wires. Bending jigs included. | £50 |
| F55 | Compression strut. Alloy equivalent to modern SAILSetc item 26-090 | £6 |
| F57 | Boom joiner for 10 mm Ø carbon tube. Anodised alloy. | £3/item |

| | | |
|-----|--|------------|
| F60 | Main boom end fitting. Black anodised aluminium for ball raced gooseneck. Used | £1/item |
| F61 | Tiller arm for RG65. 68-025 equivalent. Prototype versions to classic tiller arm design for 2.5 mm rudder stock and with holes at 8, 10, 12 and 14 mm from the centre. Stainless steel. New. | £6.00 |
| F62 | Spreader kit, item 21-100. SAILSetc spreader kit with 100 mm spreader bars. Last remaining stock with nickel silver spreader bar material. 2 packs. | £6.50/pack |
| F63 | Jumper strut fitting, item 20-J. For 14 mm Ø mast. Faulty silver solder joint. Several. | £2/each |
| F64 | Spreader fitting, item 20-S. For 14 mm Ø mast. Faulty silver solder joint. Several. | £2/each |
| F65 | Swing rig block, old design, 59-127. For 12.7 mm Ø mast. Suitable for 36R class or for use with carbon GROOVY 12.7 mast. Three pieces. | £2/each |
| F66 | Fairlead, 60A design, cosmetic faults in soldering, 4 items | 50% off |
| F67 | Fairlead, 60D design, cosmetic faults in soldering, 1 item | 50% off |
| F68 | Tiller arm, 68-030 design, original carbon/epoxy item, 3 items | 50% off |
| F69 | Tiller arm, 68-040 design, original carbon/epoxy item, 2 items | 50% off |
| F70 | Tiller arm, 68-050 design, original carbon/epoxy item, 1 item | 50% off |
| F72 | Fairleads, 60D design, cosmetic faults in soldering and un-plated, 5 items | £10/lot |
| F73 | Boom bands, 49-100 design, cosmetic faults in soldering and un-plated, 8 items | £10/lot |
| F74 | Fairlead, V527 design, cosmetic faults in soldering and un-plated, 1 item | 50% off |
| F75 | Rings, 46B design, cosmetic faults in soldering and un-plated, 4 items | £1/lot |
| F76 | Rigging screw, PKB design, single end type but with a shackle type connection at one end and an eyebolt at the other. Has to be disconnected at one end before adjusting. One item only. | £1 |
| F77 | Deck eye, PKB pad eye design, for bolting to a deck with underdeck connection for rigging to take the load from the shroud or forestay to a strong point on the bottom of the hull. Plated. One item only. | £1 |
| F78 | Carbon spar bands, 50-150 design, for 15 mm Ø, 4 items. | £1/lot |
| F79 | Experimental rigging screw/kicking strap parts, mix of M3.5 and M4 bodies from SAILSetc kicking straps. 8 bodies, 4 ends | £2/lot |
| F80 | Jib racks. V554, 11 holes and 68 mm long with three 'feet'. Poor quality silver soldering and plating. Two items | 50% off |
| F81 | M2 Nyloc nuts, nickel plated steel (not stainless steel). Pack of 20. Five packs | 50% off |
| F82 | M2 Nyloc nuts, nickel plated steel (not stainless steel). Pack of 100. One pack | 60% off |
| F83 | Tiller arms, for 4 mm stock, stainless steel. Previous version of 68-040. Four items remain. | 50% off |
| F85 | Eyebolts, M3.5 x 15 mm. Last remaining stock of this item. Four. | £4/lot |
| F86 | Stencils for RG65 size sail numbers and letters. Original design now superseded by 3D printed version. Stock comprises: | |

| Item | qty | item | qty | |
|------|--|------|-----|---------|
| 0 | 1 | A | 2 | |
| 2 | 6 | B | 9 | |
| 3 | 1 | C | 11 | |
| 4 | 7 | D | 10 | |
| 5 | 2 | E | 25 | |
| 6 | 2 | G | 10 | |
| 7 | 5 | O | 12 | |
| | | R | 4 | |
| | | S | 11 | |
| | | N | 7 | |
| | | U | 9 | £15/lot |
| F87 | Set of blocks for swing rig – item 139-3022 ST. A set of four 30 x 22 mm blocks, each with a 17 mm Ø hole, that allow a swing rig with standard PTFE bearings to be raked in our mast tube moulding. Our production version of these is now made by 3D printing but this set is the last of the epoxy/aluminium moulded items. Sold | | | £3.00 |
| F88 | Carbon backstay crane – for 15.4 Carbon Groovy. Easily adapted to fit inside a 10 or 12 mm internal diameter carbon mast tube. Crane length 105 mm. Three remain. | | | £15.00 |
| F89 | GIZMO drums. Original version, 13 mm Ø drum on a 5 mm Ø x 20. 5 mm long shaft with a hole in the end tapped M2. For use with 5 mm ID x 8 mm OD x 3 mm thick flanged bearings in a 8 mm Ø hole. Anodised black. With a 3 mm Ø hole through the drum for the lever arm. | | | £1/each |

rc equipment

| | | |
|------|---|-----|
| RC04 | 3 x receivers for use with Futaba T3VC - Futaba PCM 1024 FP-R113iP receivers | £50 |
| RC05 | 1 x receivers for use with Futaba 40 MHz tx - Futaba FP-R103F receiver | £5 |
| RC07 | telescopic aerial for Futaba transmitter | £1 |
| RC09 | spiral RMG drum – 57 mm larger Ø | £10 |
| RC10 | spiral RMG drum – 46 mm larger Ø | £10 |
| RC12 | Lipo charger – UltraPower 240 volt unit with single output for 1 or 2 cells at 500 or 1000 mAh | £25 |
| RC13 | Nicad charger – 1.5 to 15 volt output, 80, 140 or 180 mAh output, Futaba output connection, European mains plug. | £2 |
| RC14 | Nicad charger – for 3 boat batteries with Futaba connections(4 to 7 cells) and 1 tx battery with 5.4 mm Ø jackplug (4 to 8 cells), 600 mAh FAST | £2 |
| RC14 | Nicad charger – for 1 boat battery with Futaba connection (4 cells) and 1 tx battery with Futaba connection (8 cells), 70 mAh | £2 |
| RC18 | Step up transformer, from AC 100-120V to AC 200-240V, 100W. Allows UK equipment to be used in the USA. New. | £10 |

sails

Unless otherwise specified

- Sails, even new sails, may have minor creasing and marking but will have a good shape and generally be of a good standard of finish. Used sails will generally have been measured, will have more signs of use but will be in good shape.
- Sails are used unless marked as 'new'.

RG65

| sail/size | luff finish | corner patches | luff colour | comments | |
|---------------------|-------------|----------------|-------------|--------------------|-----|
| headsail, 620 x 215 | | red FINGERS | red | 35 micron, creased | £25 |

IOM

| sail/size | luff finish | corner patches | luff colour | comments | |
|----------------|---------------|----------------|-------------|---------------------------|-----|
| mainsail, No 1 | narrow pocket | orange FINGERS | orange | GBR 95 applied, used | £30 |
| mainsail, No 2 | narrow pocket | orange FINGERS | orange | GBR 95 applied, used | £25 |
| mainsail, No 1 | narrow pocket | orange FINGERS | orange | light creasing, test sail | £30 |
| headsail, No 1 | | orange FINGERS | orange | light creasing, test sail | £20 |
| headsail, No 1 | | orange FINGERS | orange | light creasing, test sail | £20 |
| headsail, No 1 | | orange FINGERS | orange | light creasing, test sail | £20 |
| headsail, No 2 | | any | any | F3 shaping | £20 |

marblehead

| sail/style | size | corner patches | luff | comments | |
|-----------------------|------------------------|------------------|-------------|-------------------------|-----|
| mainsail, lightweight | 2100 x 290 | yellow FINGERS | eyelet luff | new, some creasing | £20 |
| mainsail, panelled | 1900 x 336 | choice of colour | eyelets | new | £50 |
| mainsail, panelled | 1850 x 330 | choice of colour | pocket luff | new | £50 |
| mainsail, panelled | 1850 x 330 | choice of colour | pocket luff | new | £50 |
| mainsail, panelled | 1850 x 340 | ye/blue FINGER | pocket luff | GBR 95 applied | £50 |
| mainsail, panelled | 1900 x 387/353/273/178 | yel/blue FINGERS | eyelets | for B swing rig, new | £25 |
| headsail, lightweight | 1230 x 220 | white FING | A swing rig | creased, crimps on luff | £25 |
| headsail, lightweight | 1230 x 220 | white FING | A swing rig | as above, 95 applied | £20 |

ten rater

| | | | | | |
|----------------------|-------------------|-----------------|-------------|------------------|---------|
| headsail lightweight | 1436 x 442 mm | white patches | blue luff | new | £8 |
| headsail lightweight | 1455 x 498 mm | red patches | grey luff | new | £8 |
| headsail panelled | 1167 x 459 mm | red patches | grey luff | new | £8 |
| headsail1, panelled | 1475 x 420 mm | yel/blue FING | blue luff | 95 applied, used | £15 |
| headsail2, panelled | 1475 x 420 mm | yel/blue FING | blue luff | 95 applied, used | £15 |
| suit, lightweight | eyelet luff, 2000 | or/grn/yel FING | orange luff | new, lwl 1197 mm | 50% off |
| suit, panelled | pocket luff, 1800 | or/grn/yel FING | orange luff | to match above | 50% off |

complete rigs & headsails on booms

Unless otherwise specified

- Sails, even new sails, may have minor creasing and marking but will have a good shape and generally be of a good standard of finish. Used sails will generally have been measured, will have more signs of use but will be in good shape.
- Sails are used unless marked as 'new'.

IOM

| | | |
|------------------|---|------|
| No 3 rig, GROOVY | pink corners, blue tape, GROOVY, b/r g/n, 120D, 31S,95 GBR on sails | £200 |
|------------------|---|------|

marblehead

| | | | | |
|-----------------------|------------|-----------------------|-------------------------|------|
| A conventional rig | 2150 luff | for PRIME NUMBER | 95 on sails | £384 |
| A conventional rig | 2130 luff | for QUARK | 95 on sails | £384 |
| C headsail on SE boom | 1110 x 353 | yel/blue FINGERS/blue | 120D swivel, 95 applied | £40 |

ten rater

None currently available.

rig box

| | | |
|--------|---|------|
| IOM-RB | New rig box, made using SAILSetc rig box edging timber with marine ply varnished, Sides. Hinges and attachments for three rigs fitted/supplied. Not yet fitted with clasps. | £150 |
|--------|---|------|

resins & glues

| | | |
|-------|--|------------------|
| RES01 | 5 kg of R&G gel coat, EP Gelcoat Farblor, no hardener, at current price list price plus p&p and less 20% | approx £100/5 kg |
|-------|--|------------------|

RES02 De-bonder for cyanoacrylate glue, 10 grams £1/ each

reinforcements – carbon & glass etc

REIN01 Carbon fibre socking, 62 mm Ø, can be stretched to make tube varying from 20 to 70 mm Ø, for covering ballasts etc, 41 grams/metre 5 metres £20/piece

REIN02 Carbon fibre socking, 34 mm Ø, can be stretched to make tube varying from 12 to 40 mm Ø, for covering ballasts etc, 27 grams/metre 0.9 metres £4/piece

REIN03 Carbon/Dyneema mix, twill weave, about 250 grams/m², 20+ metres £5/metre

REIN04 Bi-axial carbon, 160 gsm bi-directional non woven, 460 mm x 520 mm £10/piece

REIN05 High modulus carbon UD, 100 grams/m², 200 mm wide, 1.0 m + 0.55 m £10/lot

REIN06 Plain woven carbon, 125 grams/m², 120 grams large off-cuts £20/lot

REIN07 Plain woven carbon, ultra high modulus M55JB, 2.5 m x 1.07 m £180/lot

REIN08 Plain woven glass, 216 grams/m², tight weave, 1.2 m x 0.95 m £5/lot

REIN09 Tow. Carbon tow. 3k, 6k, 12k and 20k sold per spool, various sizes £40/kg

REIN10 Mixed bag of 125, 150 and 180 g/m² carbon cloth offcuts; may include some uni-directional tape. Order in 100 gram units please (circa 0.5m²) £8/0.1 kg

REIN11 Peel ply, 750 mm wide. Priced per square metre. £3/sq metre

consumable materials

CON01 3 mm wide fine line tape x 55 metres, low tack, use to tape around edge of shape you will cut from carbon or glass woven reinforcement and cut with scissors or a knife down the centre to avoid the weave disintegrating (5 rolls) £1/roll

CON04 Apron, PVC, for protection of clothes while working (3 aprons) £3/each

CON05 Apron, canvas, for protection of clothes while working (2 aprons) £5/each

CON06 Vacuum release film, PO 150, 4 m x 1.75 m £5/piece

CON07 Breather film, Lockfoli, P1, unsure of qty, enquire POA

CON08 Breather fabric, 1 m² £1/lot

REIN11 Peel ply, 750 mm wide. Priced per square metre. £3/sq metre

CON09 Mylar film, clear, 35 micron, originally used for sails but ideal for use as a release film, 1050 mm wide x 26 metres £20/lot

CON10 Mylar film, clear, 100 micron, used as a release film, 1330 mm x 36 metres £30/lot

fillers

| | | |
|--------|---|-------------|
| FILL01 | 0.25 kg colloidal silica, Gurit, for making resin thixotropic (0.25 kg) | £25/0.25 kg |
| FILL02 | 0.1 kg chopped carbon fibres, about 3 mm long, for adding to resin (0.3 kg) | £10/0.1 kg |
| FILL03 | 0.1 kg chopped glass fibres, about 2 mm long, for adding to resin (0.1 kg) | £2/0.1 kg |

other

| | | |
|-------|---|-------------|
| OTH01 | Hardened and tempered glass sheet, suitable as a cutting surface, 560 x 600 x 15 mm | £5/piece |
| OTH02 | Hardened and tempered glass sheet, suitable as a cutting surface, 615 x 760 x 15 mm | £5/piece |
| OTH03 | Hardened and tempered glass sheet, suitable as a cutting surface, 615 x 760 x 15 mm | £5/piece |
| OTH04 | Hardened and tempered glass sheet, suitable as a cutting surface, 915 x 1100 x 15 mm | £5/piece |
| OTH05 | Flourescent strip lamp, 1200 mm long, new (5 lamps) | £1.20/each |
| OTH06 | Flourescent strip lamp, 1500 mm long, new (5 lamps) | £1.50/each |
| OTH06 | Flourescent strip lamp, 1800 mm long, new (28 lamps) | £1.80/each |
| OTH06 | Flourescent strip lamp, 1500 mm long, used (24 lamps) | £1/each |
| OTH07 | Mirror Glaze release agent, Universal Mould Release Wax, 311 gram tin (2 tins) | £10/tin |
| OTH08 | Formula 5 Ambersil medium duty non-silicone release spray, 400 ml tin (5 tins) | £10/tin |
| OTH09 | Self adhesive wax sheets, assorted thickness & shapes including forming tools | £50/lot |
| OTH10 | Lead shot, 4.4 kgs | £15/lot |
| OTH11 | Self adhesive abrasive strips, 450 x 70 mm, 40, 50, 60, 80 & 120 grade | see website |
| OTH13 | PVC foam sheets, assorted thicknesses 4, 5 & 10 mm, max dimensions 390 x 370 mm, all pieces taped up top form a block approx 390 x 370 x 150 mm deep | £5/lot |

tools

| | | |
|--------|--|---------|
| TOOL01 | Scissors, with curved blade, 80 mm blade | £40 |
| TOOL03 | Panavise, variable geometry vice with plastic jaws for light work, bolt to bench version | £30 |
| TOOL05 | Vacuum chamber to go with pump, 164 mm ID x 190 deep | £30 |
| TOOL06 | Thermometer/hydrometer ATP, programmable for min and max | £10 |
| TOOL07 | G-clamps, 12" throat, economy versions, 10 quantity | £6/each |
| TOOL08 | G-clamps, 6" throat, medium quality, 6 quantity | £6/each |
| TOOL09 | G-clamps, 5" throat, medium quality, 3 quantity | £6/each |

| | | |
|--------|--|-----------|
| TOOL10 | G-clamps, 4" throat, mix of Paramo, Axminster, Record, 21 quantity | £6/each |
| TOOL11 | G-clamps, 2" throat, mix of Paramo, Axminster, Record, 27 quantity | £5/each |
| TOOL12 | G-clamp, 4" throat, 4.5" reach, 1 quantity | £6/each |
| TOOL13 | G-clamps, 2" throat, 3.5" reach, 3 quantity | £6/each |
| TOOL14 | G-clamps, 4" throat, junior record, 4 quantity | £6/each |
| TOOL15 | G-clamps, 3" throat, junior record, 2 quantity | £6/each |
| TOOL16 | Edging clamps, 2.5" throat, 13 quantity | £5/each |
| TOOL17 | Adjustable clamps, 6" throat, 2 quantity | £6/each |
| TOOL18 | Autoclave, custom built, un-certified, operating to 8 bar, working space 700 mm x 215 mm Ø, with Alcatel Pascal 21 vacuum pump driven by Franklin Electric ¾ HP motor, Axminster White direct drive mini air compressor, AW10HP, 1.5 HP motor, 6 litre tank, heating blanket + insulation, needs thermostat added. | £POA |
| TOOL19 | Dremel 732T1 remotely powered and speed controlled grinding/cutting tool, flexible drive shaft to take all standard Dremel tools, foot pedal to control speed, similar to current Fortiflex Dremel tool, on overhead cable system | £NFS |
| TOOL20 | Nilfisk GM80 vacuum cleaner, with micro filters, perfect for use with carbon and glass dust (1 available) | £250/each |
| TOOL21 | Metric Series tap. M3.5 x second. Right hand. 8 quantity | £1/each |

end SAILSetc SP-02