

updated August 2023

SAILSetc

Supplementary Price List - SP 02

GOODBUYS

surplus boatbuilding materials

If you would like an up to date version of this list please contact the SAILSetc office – ask for 'GOODBUYS surplus boatbuilding materials - SP02'

for - surplus sailcloth & sail making materials – see GOODBUYS SP 03

*Used moulds that are no longer required by SAILSetc are listed on the **For Sale Mould List**. Around 60 moulds are offered. Please ask for a copy if you are interested.*

Please Note

- 1 Most items here are unsuitable for use in our own production hulls and other mouldings. The reason will vary from item to item - it may be that there are small faults, there is some problem with compatibility, we have too many in stock or we have just found that we have no use for them at present because we have re-designed the way we make things. The general quality will be reflected in the price.

Some other items are listed here simply because there is not enough room in our current price list, or because they were not available when it was printed. Prices are not, therefore, discounted.
- 2 Prices include VAT at 20.0%.
- 3 All goods are offered subject to being unsold.
- 4 Please 'phone to reserve items required before sending any payment. Items will be reserved for 10 days before being re-offered.
- 5 Trade customers – please see the Trade Price List.
- 6 Packing and delivery will be charged at cost and can be advised on receipt of your requirements if required.

mouldings

yachts and yacht moulds

Look for the website link to **Odds and Ends**.

decks

MD71	Centre deck, fore part, coloured gel coat, item 311E. Glass/epoxy. 2 layers of 200 gsm glass. Light grey gel coat. Suitable for a boat of at least 190 mm beam at the mast position. As used on IKON and PRIZM (in carbon) and other wider boats. With recess for fin bolt and with peel ply on the back.	£25
MD73	Centre deck, fore part, coloured gel coat, item 311E. Glass/epoxy. 2 layers of 200 gsm glass. One Anchusa blue, one Charcoal grey, one black, two Mazarine blue. Suitable for a boat of at least 190 mm beam at the mast position. As used on IKON and PRIZM (in carbon) and other wider boats. With recess for fin bolt and with peel ply on the back. Slight cosmetic faults with moulding. To be sold by SAILSetc on behalf of the owner.	£20/each
MD75	Centre deck, carbon/epoxy, clear gel coat, item 311M for A Class. As used on SWORD hulls and suitable for any A Class or 6 Metre hull. Incorporates the recess for mounting the winch and servo(s) as well as a raised area for the mast and a lowered area to take the kicking strap. To be sold by SAILSetc on behalf of the owner.	£60
MD76	Centre deck, item 311G, aft part of centre deck as used on IKON and PRIZM. Glass/epoxy, coloured gel coat. The port side of the moulding has the recess for the screw top pot, the starboard side has the recess for winch and servo. One available in black, one in Anchusa blue. To be sold by SAILSetc on behalf of the owner.	£30
MD77	Centre deck, fore part, like 311E but more suited to hulls at least 180 mm wide at the deck. As used on STRAD. Epoxy/carbon. Two with clear gel coat, one ultra light version with silver grey gel coat. To be sold by SAILSetc on behalf of the owner.	£10/each

deck beams, tubes

MD72	Deck beam. Glass/epoxy. Silver grey gel coat. 225 mm long, tapering from 55 wide x 25 mm deep in centre to 35 wide x 25 mm deep at ends.	£5
------	--	----

pot recess, pot rings & related

MP01	Rc pot with tapered pot bottom added. As fitted to some TOPIKO, PIKANTO, PRIME NUMBER & PRIZM models. Hole for rc cables drilled.	£20
MP02	Pot bottom, epoxy/glass. Moulding used to taper the bottom of a SAILSetc rc pot so that it fits into a hull when offset from the centreline. Used.	£5

rc mountings, moulded fairleads

MD63	RC mounting, item 311P. Carbon/epoxy, Perfect. Cut for RMG280 and Futaba servo. No longer used in SAILSetc boats	£45
------	--	-----

MD74	RC mounting. Item 311P as used in SAILSetc IOM where an RMG280 will be used. Glass/epoxy. Clear gel coat. 205 mm long, 150 mm wide. With moulded cut outs for RMG280, rc containment pot, port side rudder servo, starboard side rudder servo. Heavier than standard moulding.	£20
MD86	RC mounting, 311Q. Glass/epoxy suitable for mounting rc into an IOM. Mk 1 version with fixing points for servo and winch.	£10
MD88	RC mounting, un-coded, clear resin, epoxy/glass, as used in PIKANTO	£5
MD90	RC mounting, 311Q. Glass/epoxy suitable for mounting rc into an IOM. Cosmetic faults.	£10
MD102	Fairlead, 67G. Carbon/epoxy moulded fairleads shaped specially to fit PRIME NUMBER and DIAMOND hulls. Several available. SOLD 07/23	£1/each

fin box/mast tubes

MB22	Fin box/mast tube, 338C. Carbon/epoxy. Poor internal surfaces.	£40
------	--	-----

fins

MF32	Fin moulding, item 350H suitable for A Class or 6 Metre. 410 mm long tapering from 214 mm to 92 mm. Undersize for GUNBOAT but might be extended at the top to make a correctly sized fin.	£120
MF51	6% t/c fin 370-M (2014 SAILSetc design and manufacture, not current production version). Cut to profile for QUARK and finished to section. With connections to hull and ballast. 557 mm from underside of hull to extreme lower end.	As 370-M less 40%
MF52	7% t/c fin, ex IOM fin with a large hole cut in the upper section that goes into the fin box rendering it less than useful for this purpose. Useful part is 340 mm long, tapering 100 mm to 65 mm. Carbon finish. Suitable for use on a 36R perhaps.	£20
MF54	6% t/c fin. IOM fin. Tapering 115 mm at hull bottom to 73 mm at tip. With leading edge fillet. Grey primer. Used	£50
MF55	370-A 6% t/c fin. Prototype using a printed core covered by woven carbon and using our normal mould for A Class/6 Metre fins. The surface is pitted on both sides where there was insufficient gel coat. The pitting needs to be filled to restore a good surface. 320 mm span x 257 mm chord at the top x 165 mm chord at the bottom. 475 grams. 8 mm hole through to take the INS-080 attachment system. Approximately the same size as required for SWORD. Could be used for a 6 Metre (probably inverted).	£60
MF56	370-A 6% t/c fin. A second prototype using a printed core covered by woven carbon and using our normal mould for A Class/6 Metre fins. The surface on one side is pitted where there was insufficient gel coat. The pitting needs to be filled to restore a good surface. Inverted taper profile giving a 283 mm span x 223 mm chord at the top of the exposed part and 248 mm chord at the bottom of the exposed part. Above the exposed part it is cut to the inverted triangular shape of the original SAILSetc fin/fin box system for 6M as used on RENAISSANCE and others. It will need some further shaping to fit the fin box properly. 312	

	grams. 8 mm hole through to take the INS-080 attachment system. Approximately the same size as required for ROCOCO. To be used for a 6 Metre (inverted).	£60
MF57	370-A 6% t/c fin. Production fin with foam core. A failure of the pressurisation during clamping has allowed air into the moulds and created pitting over about 50% of the surface. Fill with polyester filler, rub down and spray for a good quality finish. 279 grams, 390 mm span, 257 mm chord at the top, 141 mm chord at the tip. 6 mm ID tube running top to bottom. Sold 05/23	£70
MF58	370-A 6% t/c fin. As above but with a good finish over about 75% of the surface. 253 grams, 390 mm span, 257 mm chord at the top, 141 mm chord at the tip. 6 mm ID tube running top to bottom.	£100
MF62	370-M 7% t/c. Short moulding – length 530 mm. Finished to section. Tapers from 118 at widest to 75 mm at tip. 162 grams	£50
MF63	370-IOM special moulding. 7% t/c. Finished to section. Tapers from 114 mm at hull bottom to 75 mm. 149 grams.	£50

ballasts

BAL01	Lead shot. Mixed Ø 2.5, 3.0 and 3.5 mm to make a higher net density when used to add weight. 4.5 kgs available.	£6/kg
BAL02	Ballast casting, 546 grams, finished with slot for 370-RG and fixing hole, 183 mm long x 28 mm wide x 23 mm deep. Painted red.	£40
BAL03	Carbon coated IOM ballast, 200-024, natural carbon finish, forward 50 mm is whitish where the thixotropic agent did not disperse well. It can be left as it is, abraded off or sprayed depending on cosmetic preference.	25% off list price
BAL04	A pattern, not a lead casting, for a 6 kg version of BALLAST-PATTERN-WING lower aspect ratio version. 350 long x 175 wide. Could be used for a heavier ballast (for a 6 Metre for example) with a suitable spacer on the centreline. In four parts ready to assemble before use.	Half list price.

rudders

rudders have stocks, rudder mouldings do not have stocks

MR44	A Class rudder. Epoxy/carbon, item 360-A, 245 x 90 mm. Not finished to section. Poor section shape. 4 mm stock.	£30
------	---	-----

rudder mouldings

rudder mouldings do not have stocks, rudders have stocks

MR18	Rudder moulding with solid core, 8% t/c, hole for stock to be bonded in to. 30 grams. 215 mm maximum span at trailing edge, 78 mm chord at upper end. Carbon/epoxy finish. Needs finishing to section at leading and trailing edges.	£30
MR19	Rudder moulding, 7% t/c. 220 x 70 mm. No taper. Finished to section. 42 grams.	£20

bumpers – silicone rubber bumper mouldings & material

MR330 *All have faults on the surface which render them unsuitable for use on any boat where cosmetic appearance is important. However they may be OK as spares or for cutting to make bumpers for other designs.*

Tell us which SAILSetc boat you need a bumper for and we will see if we have one to suit.
May be coloured.

£3/each

MR330-ARRIVAL

Bumper for the David Hollom 'ARRIVAL' design IOM

£5

masts, tubes, metal etc

carbon GROOVY

All remaining stocks of carbon GROOVY were transferred to Bill Green, Bournville Club and have been sold.

carbon round tube

code	diameter information	length	comments	pieces	price
CRT-140	14.0 tapering to 14 x 5	1370	high modulus, 2 mm side bend		£49
SP-1	10.9 tapering to 7.8	1000	intermediate modulus	1	£25
SP-3	11.8 tapering to 10.0	798	0.9 mm wall, low mod	1	£15
SP-5	13.6 OD x 12.2 ID	900	ultra high modulus	1	£40
SP-7	13.6 OD x 12.0 ID	900	high modulus	1	£25
SP-8	13.6 OD x 12.0 ID	700	high modulus	1	£20
SP-9	13.65 OD x 11.8 ID	1000	intermediate modulus	1	£30
SP-10 & SP-11	14.05 OD x 12.0 ID	1000	high modulus, un-ground	2	as CR-140 less 50%
SP-12	13.95 OD x 11.9 ID	1000	int. modulus, un-ground	1	as CR-140 less 70%
SP-13	13.95 OD x 11.9 ID	1000	int. modulus, un-ground	1	as CR-140 less 70%
SP-14	10.7 OD x 8.0 ID	1000	high modulus	11	as CR-100 less 25%/lot
SP-15	9.6 OD x 8.0 ID	1000	high modulus	3	£30/each
SP-16	15 OD x 12.0 ID	630	intermediate modulus	1	£10
SP-17	A set of 14, 12, 10 and 8 mm high modulus tubes with 1 mm wall that are machined to fit together snugly. The outside of these tubes is not ground to the nominal diameter like our normal tubes are but is left in its natural state. The tubes are about 10% heavier and 15% stiffer than standard.				20% less than list

Items SP-7 and SP-8 are samples tubes that were made with a low wall thickness. They are approximately 84% of the normal weight but are extremely stiff for their weight. SP-7 is 1000 mm long but is cracked along one end for 100 mm. These would be ideal spars for a super lightweight rig for a Marblehead or Ten Rater. Take all three pieces for a 10% discount.

Item SP-15 is a low wall thickness version of our normal high modulus tube. The stiffness is lower but the weight is proportionately lower too.

masts

S61	New mast for A(92LX) swing rig.	POA
-----	---------------------------------	-----

booms

B02	Set of five curved booms made by Thomas/McDowell. 19 mm deep x 6.3 mm thick, full radius top and bottom. Four at 570 mm and 1 at 480 mm. 26 grams for 570 mm length.Priced as for 12 mm round carbon	
-----	--	--

glass tubes

S20	Glass tubes. Black, 12 mm Ø. 1 mm wall thickness. 1000 mm long. Like our carbon tubes but heavier and not so stiff.....and a whole lot less useful - hence the price. 25% discount for 100+	£1/each
-----	---	---------

aluminium tubes

S30	Aluminium tubes. 6.4 mm Ø. 0.7 mm wall thickness. 2000 mm long. Not anodised.	£2/each
S31	Aluminium GROOVY, black anodised, 125 mm long, 16.7 Ø x 14.8 ID, several	£1/each
S32	Aluminium GROOVY, black anodised, 125 mm long, 14.5 Ø x 12.9 ID, several	£1/each
S33	Aluminium GROOVY, black anodised, 125 mm long, 12.7 Ø x 11.3 ID, several	£1/each
S34	Aluminium tubes, black anodised, 125 mm long, 14.3 Ø x 12.8 ID, several	£1/each
S35	Aluminium tubes, black anodised, 125 mm long, 12.8 Ø x 10.7 ID, several	£1/each
S36	Aluminium tubes, black anodised, 125 mm long, 11.5 Ø x 10.2 ID, several	£1/each
S37	Aluminium tubes, 125 mm long, 11.5 Ø x 10.2 ID, several	£0.50/each
S38	Aluminium GROOVY, natural anodised, 2000 mm long, 9.7 mm Ø, two	priced as 11.1 Ø

arrow shafts – fine tubes

AS01	Aluminium tubes. 4.75 mm external Ø x 4.0 mm internal Ø x 915 mm long. Black anodised.	£2/each
AS02	Aluminium tubes. 1416 size. 5.6 mm external Ø x 4.7 mm internal Ø.	£2/each
AS03	Aluminium tubes. 1813 size. 7.1 mm external Ø x 6.5 mm internal Ø.	£2/each
AS04	Aluminium tubes. 1916 size. 7.5 mm external Ø x 6.7 mm internal Ø.	£2/each
AS05	Aluminium tubes. 2016 size. 7.9 mm external Ø x 7.1 mm internal Ø.	£8/each

AS06 Aluminium tubes. 2114 size. 8.3 mm external Ø x 7.6 mm internal Ø. £2/each

brass tubes

Code	internal Ø	external Ø	length metres	£/metre	£/lot
S04	14.0	16.0	1.94	-	£10
S05	14.0	15.8	7.40	£6	£30
S06	13.6	15.0	3.30	£6	£15
S07	13.4	14.4	3.49	£6	£15
S08	12.3	13.5	1.59		£7.50
S09	11.9	13.0	1.14		£5
S10	11.4	12.5	0.95		£5
S11	11.3	12.7	1.31		£5
S12	11.2	12.6	3.04	£5	£10
S14	10.9	11.9	0.89	£5	£4
S15	1.6	2.4	0.92 x 24 pieces of square tube	£1/piece	£20
S16	0.8	1.6	0.92 x 6 pieces of square tube	£1/piece	£5

Item S16 is a slide fit inside S15

fittings

F43	Burgee components – laser cut stainless steel component parts for type of burgee sold up to end of 2009. There are the laser cuts parts for 108 ball raced burgess, item 100B, of which 17 are already silver soldered. You will need to add bearings, fabric, wires. Bending jigs included.	£50/lot
F57	Boom joiner for 10 mm Ø carbon tube. Anodised alloy.	£3/item
F60	Main boom end fitting. Black anodised aluminium for ball raced gooseneck. Used	£1/item
F61	Tiller arm for RG65. 68-025 equivalent. Prototype versions to classic tiller arm design for 2.5 mm rudder stock and with holes at 8, 10, 12 and 14 mm from the centre. Stainless steel. New.	£6/each
F63	Jumper strut fitting, item 20-J. For 14 mm Ø mast. Faulty silver solder joint. Several.	£2/each
F64	Spreader fitting, item 20-S. For 14 mm Ø mast. Faulty silver solder joint. Several.	£2/each
F65	Swing rig block, old design, 59-127. For 12.7 mm Ø mast. Suitable for 36R class or for use with carbon GROOVY 12.7 mast. Three pieces.	£2/each

F66	Fairlead, 60E design (formerly 60A), cosmetic faults in soldering or small holes that could be filled with epoxy resin, 4 items	50% off
F67	Fairlead, 60S design (formerly 60D), cosmetic faults in soldering or small holes that could be filled with epoxy resin, 3 items.	50% off
F68	Tiller arm, 68-030 design, original carbon/epoxy item, 3 items	50% off
F69	Tiller arm, 68-040 design, original carbon/epoxy item, 1 item	50% off
F70	Tiller arm, 68-050 design, original carbon/epoxy item, 1 item	50% off
F71	Tiller arm, 68-060 design, original carbon/epoxy item, 1 item	50% off
F72	Fairlead, 60C design (formerly 60B), cosmetic faults in soldering, 23 items.	50% off
F73	Boom bands, 49-100 design, cosmetic faults in soldering and un-plated, 8 items	£10/lot
F74	Fairlead, V527 design, cosmetic faults in soldering and un-plated, 1 item	50% off
F75	Rings, 46B design, cosmetic faults in soldering and un-plated, 4 items	£1/lot
F76	Rigging screw, PKB design, single end type but with a shackle type connection at one end and an eyebolt at the other. Has to be disconnected at one end before adjusting. One item only.	£1
F77	Deck eye, PKB pad eye design, for bolting to a deck with underdeck connection for rigging to take the load from the shroud or forestay to a strong point on the bottom of the hull. Plated. One item only.	£1
F80	Jib racks. V554, 11 holes and 68 mm long with three 'feet'. Poor quality silver soldering and plating. Two items	50% off
F81	M2 Nyloc nuts, nickel plated steel (not stainless steel). Pack of 20. Five packs	£1/pack
F82	M2 Nyloc nuts, nickel plated steel (not stainless steel). Pack of 100. One pack	£5
F83	Tiller arms, for 4 mm stock, stainless steel. Previous version of 68-040. Four items remain.	50% off
F85	Eyebolts, M3.5 x 15 mm. Last remaining stock of this item. Four.	£4/lot
F86	Stencils for RG65 size sail numbers and letters. Original design now superseded by 3D printed version. Stock comprises:	

Item	qty	item	qty	
0	1	A	2	
2	6	B	9	
3	1	C	11	
4	7	D	10	
5	2	E	25	
6	2	G	10	
7	5	O	12	
		R	4	
		S	11	
		N	7	
		U	9	£15/lot

F89	GIZMO drums. Original version, 13 mm Ø drum on a 5 mm Ø x 20. 5 mm long shaft with a hole in the end tapped M2. For use with 5 mm ID x 8 mm OD x 3 mm thick flanged bearings in a 8 mm Ø hole. Anodised black. With a 3 mm Ø hole through the drum for the lever arm.	
F91	SAILSetc deck track material, natural anodised alloy. 310 mm, tapered at one end. New.	
F92	60A, fairlead. Soldering not very neat	£7/each
F93	60B, fairlead. Small hole in soldering that can be filled with silicone sealant when adding to deck	£6/each
F94	60D, fairlead. Soldering not very neat	£6/each

Items below marked in this colour to be sold by SAILSetc on behalf of the owner.

F95	Body for 12B, 12C, 12D, 12E type goosenecks. Original carbon/epoxy version. Two.	£3/lot
F100	PKB 3 mm shackles, new. Two.	£3/lot
F101	Main boom forward end fitting for connection to shaft of ball raced gooseneck. 8 mm OD for 8 mm ID boom. Suits SAILSetc 10 mm carbon tube. Black anodised aluminium alloy. M2 tapped holes. Earlier SAILSetc design. Two.	£5/lot
F102	Main boom forward end fitting for connection to shaft of ball raced gooseneck. 10 mm OD for 10 mm ID boom. Suits SAILSetc 12 mm carbon tube. Black anodised aluminium alloy. M2 tapped holes. Earlier SAILSetc design. Two.	£5/lot
F103	Main boom forward end fitting for connection to shaft of ball raced gooseneck. 12 mm OD for 12 mm ID boom. Suits SAILSetc 14 mm carbon tube. Black anodised aluminium alloy. M2 tapped holes. Earlier SAILSetc design. Two.	£5/lot
F104	Early SAILSetc compression strut. Aluminium alloy shaft, left and right hand M3.5 threads, lock wheel, 100 mm between eyes + or – 10 mm. One	£3
F105	SAILSetc kicking straps for use on ball raced goosenecks with M2 connection to shaft. M3.5 threads, lock wheel, 150 mm wires. Fourteen	£42/lot
F107	Eyebolts. Soldered eye onto 7 mm bolt. 1/8" thread. Nickel plated brass. Unknown source. Two.	£1/lot
F109	Kicking strap ends, for ball raced gooseneck with M2 tapped hole for shaft. M3.5, with lock wheel. 17 mm of thread. Earlier SAILSetc design. Ten.	£5/lot
F110	Bodies for 12B gooseneck. Carbon/epoxy moulding. Early SAILSetc design. Six.	£5/each
F111	Carbon/epoxy backstay cranes to suit 15.4 mm Ø carbon GROOVY. Two.	£10/each
F114	Boom bands for 8 mm diameter boom. Brass, not plated. Two.	£2/lot
F115	Right hand, M4, fork end. Length reduced to leave 12 mm of thread. Thirteen	£0.50/each
F116	Compression struts, slightly used, three. As items 26-STRUT but with a 85-115 mm range between attachment holes.	Less 50%

F117	PKB wood effect single block on shackle. Used.	£4
F118	PKB 4.5 mm shackle. New.	£1.50

rigging wire

W045-01	Seven strand rigging wire, 0.45 mm diameter, 7 metres Sold 08/23	£2.50
W045-02	Seven strand rigging wire, 0.45 mm diameter, 3.5 metres	£1.20
W045-02	Seven strand rigging wire, 0.45 mm diameter, 6 metres	£2.00
W045-02	Seven strand rigging wire, 0.45 mm diameter, 6 metres	£2.00
W045-02	Seven strand rigging wire, 0.45 mm diameter, 6.9 metres	£2.40
W075-01	Seven strand rigging wire, 0.75 mm diameter, 7 metres	£3.00
W075-02	Seven strand rigging wire, 0.75 mm diameter, 6 metres	£2.50
W075-03	Seven strand rigging wire, 0.75 mm diameter, 6 metres	£2.50
W036-01	Single strand wire, 0.36 mm diameter, 50 metres	£6.50
W055-01	Single strand wire, 0.55 mm diameter, 5 metres	£0.70
W055-02	Single strand wire, 0.55 mm diameter, 7 metres Sold 08/23	£0.90
W055-03	Single strand wire, 0.55 mm diameter, 7 metres	£0.90
W055-04	Single strand wire, 0.55 mm diameter, 7 metres	£0.90
W055-05	Single strand wire, 0.55 mm diameter, 8 metres	£1.10
W055-06	Single strand wire, 0.55 mm diameter, 8 metres	£1.10
W055-07	Single strand wire, 0.55 mm diameter, 10 metres (5 metres + 5 x 1+ metres)	£1.00
W055-08	Single strand wire, 0.55 mm diameter, 10 metres	£1.30
W055-09	Single strand wire, 0.55 mm diameter, 10 metres	£1.30
W055-010	Single strand wire, 0.55 mm diameter, 13 metres	£1.70
W055-011	Single strand wire, 0.55 mm diameter, 14 metres	£1.80
W055-012	Single strand wire, 0.55 mm diameter, 15 metres	£2.00
W055-013	Single strand wire, 0.55 mm diameter, 16 metres	£2.20
W125-01	Hook wire, 1.25 mm diameter, 1.5 metres	£0.80
W125-02	Hook wire, 1.25 mm diameter, 2.0 metres	£1.10
W125-03	Hook wire, 1.25 mm diameter, 2.5 metres	£1.30
W125-04	Hook wire, 1.25 mm diameter, 3.0 metres	£1.60

rc equipment

RC04	3 x receivers for use with Futaba T3VC - Futaba PCM 1024 FP-R113iP receivers	£50/lot
RC05	1 x receivers for use with Futaba 40 MHz tx - Futaba FP-R103F receiver	£5
RC07	telescopic aerial for Futaba transmitter	£1
RC09	spiral RMG drum – 57 mm larger Ø	£10
RC10	spiral RMG drum – 46 mm larger Ø	£10

RC12	Lipo charger – UltraPower 240 volt unit with single output for 1 or 2 cells at 500 or 1000 mAh	£25
RC13	Nicad charger – 1.5 to 15 volt output, 80, 140 or 180 mAh output, Futaba output connection, European mains plug.	£2
RC14	Nicad charger – for 3 boat batteries with Futaba connections(4 to 7 cells) and 1 tx battery with 5.4 mm Ø jackplug (4 to 8 cells), 600 mAh FAST	£2
RC14	Nicad charger – for 1 boat battery with Futaba connection (4 cells) and 1 tx battery with Futaba connection (8 cells), 70 mAh	£2
RC18	Step up transformer, from AC 100-120V to AC 200-240V, 100W. Allows UK equipment to be used in the USA. New.	£10
RC20	Multiplex servo, Royal-mc version. Digital, 5 kg.cm torque, Futaba plug. Working condition and reasonably clean. 7 units remain. Property of SAILSetc customer.	£10/each
RC21	Whirlwind winch drum, 32 mm diameter, double. 11 remain. Property of SAILSetc customer.	£1/each
RC22	Skysport 4 transmitter, 40 MHz. With pair of 40.715 crystals and re-chargeable battery pack. Plus two x FP-R103F receivers and three x FP-R116FB receivers. Unknown condition. Property of SAILSetc customer.	£10/lot

sails

Unless otherwise specified

- Sails, even new sails, may have minor creasing and marking but will have a good shape and generally be of a good standard of finish. Used sails will generally have been measured, will have more signs of use but will be in good shape.
- Sails are used unless marked as 'new'.

RG65

sail/size	size	corner patches	luff	comments	
headsail	620 x 215	red FINGERS	red	35 micron, creased, new	£25

IOM

sail/size	size	corner patches	luff	comments	
suit	B rig	yellow FING	lt blue	eyelets, new	£50
mainsail	A rig	red		eyelets, new	£30
mainsail	B rig	red		eyelets, new	£30
mainsail	B rig	yellow FING		eyelets, new	£30
headsail	B rig	orange FING	orange	50 micron, new	£20

marblehead

sail/style	size	corner patches	luff	comments	
suit, lightweight	SAILSetc swing rig sizes	yel/or FING	yellow	new	£50
			2120 x 350, 1220 x 225		
mainsail, swing rig	2120 x 350	any	any	not yet finished	25% off list
mainsail, lightweight	2100 x 290	yellow FING		new	£25
suit, panelled ## three suits available	1800/V sizes	white	white	eyelet luff	£20
headsail, panelled	1105 x 354	yel/blue FING	blue	95 applied, on straight boom, with 120D	£40
headsail, panelled	1125 x 350	yel/blue FING	blue	95 applied	£20
headsail, lightweight	1375 x 281 2150/O headsail	white FING	black	new, 1 mm diam. hole in top panel, new	£25

to be sold on behalf of owner

A Class

sail/style	size	corner patches	luff	comments	
suit, lightweight	2020 x 460 mm I 1625 x J 592 mm	orange FING	orange	new	50% suit price

six metre

sail/style	size	corner patches	luff	comments	
headsail, panelled	1060 x 425 mm	white	blue	53 applied	£10
headsail, lightweight	1195 x 443 foot	black fingers	orange	for 470+ J, un-used	£20

ten rater

sail/style	size	corner patches	luff	comments	
headsail, lightweight	1475 x 415 mm	black FING	black	new	£20
headsail, lightweight	1475 x 420 mm	pk/white/blue	white	95 applied on CF boom	£35
headsail, lightweight	1475 x 420 mm	yel/blue FING	blue	95 applied	£20

headsail, panelled	1250 x 406	yel/blue FING	blue	95 applied, No 2 to above	£20
headsail, panelled	1085 x 385	yel/blue FING	blue	95 applied, No 3 to above	£20
mainsail, lightweight	2100 x 490	blue/yellow FING	white	narrow pocket, 35/50 micron, new	£30
suit, lightweight	2000 x 505 1435 x 480	or/grn/yel FING	orange	eyelet, for 1197 lwl, new	50% off
suit, panelled	1900 x 505 1365 x 475	or/grn/yel FING	orange	pocket luff, No 2 to above, new	50% off
suit, lightweight ## two suits available	2000 x 455 1450 x 490	white	white	eyelet luff, suits PARADOX	£30

to be sold on behalf of owner

complete rigs

Unless otherwise specified

- Sails, even new sails, may have minor creasing and marking but will have a good shape and generally be of a good standard of finish. Used sails will generally have been measured, will have more signs of use but will be in good shape.
- Sails are used unless marked as 'new'.

ten rater

type	size	corner patches	luff	comments	
conventional rig	No1, 2100 luff	blue/white/pink	eyelets	lightweight mast	£200
swing rig	No 1, 2100 luff	yel/blue FING	eyelets	for DIAMOND	£400

marblehead

type	size	corner patches	comments	
swing rig ##	A	white	for Paradox, composite sails 76 applied, good condition, bag	£150
swing rig ##	A	white	for Paradox, composite sails 72 applied, good condition, bag	£150
swing rig ##	A	white	for Paradox, composite sails 62 applied, good condition, bag	£150
Shroudless rig ##	C1-1600V	white	carbon GROOVY mast, Dacron sails 76 applied, good condition	£150
Shroudless rig ##	C1-1600V	white	carbon GROOVY mast, Dacron sails	

			72 applied, good condition	£150
Shroudless rig ##	C1-1600V	white	carbon GROOVY mast, Dacron sails 62 applied, good condition	£150
## to be sold on behalf of owner				

rig bags

Single rig bags made for Ten Rater rigs. The width quoted is the internal width of bag.

mainsail luff	width at base	comment	
1800	515	new bag	£25
1500	525	new bag	£25
1250	490	new bag	£25
1100	500	new bag	£25
All the above			£75

resins & glues

RES02	De-bonder for cyanoacrylate glue, 10 grams	£1/ each
-------	--	----------

reinforcements – carbon & glass etc

REIN01	Carbon fibre socking, 62 mm Ø, can be stretched to make tube varying from 20 to 70 mm Ø, for covering ballasts etc, 41 grams/metre 5 metres	£20/piece
REIN02	Carbon fibre socking, 34 mm Ø, can be stretched to make tube varying from 12 to 40 mm Ø, for covering ballasts etc, 27 grams/metre 0.9 metres	£4/piece
REIN03	Carbon/Dyneema mix, twill weave, about 250 grams/m ² , 20+ metres	£5/metre
REIN04	Bi-axial carbon, 160 gsm bi-directional non woven, 460 mm x 520 mm	£10/piece
REIN05	High modulus carbon UD, 100 grams/m ² , 200 mm wide, 1.0 m + 0.55 m	£10/lot
REIN07	Plain woven carbon, ultra high modulus M55JB, 2.5 m x 1.07 m	£180/lot
REIN08	Plain woven glass, 216 grams/m ² , tight weave, 1.2 m x 0.95 m	£5/lot
REIN09	Tow. Carbon tow. 3k, 6k & 12k sold per spool, various sizes	£40/kg

consumable materials

CON01	3 mm wide fine line tape x 55 metres, low tack, use to tape around edge of shape you will cut from carbon or glass woven reinforcement and cut with scissors or a knife down the centre to avoid the weave disintegrating (5 rolls)	£1/roll
-------	---	---------

CON04	Apron, PVC, for protection of clothes while working (3 aprons)	£3/each
CON06	Vacuum release film, PO 150, 4 m x 1.75 m	£5/piece
CON07	Breather film, Lockfoli, P1, unsure of qty, enquire	POA
CON08	Breather fabric, 1 m ²	£1/lot
CON09	Mylar film, clear, 35 micron, originally used for sails but ideal for use as a release film, 1050 mm wide x 26 metres	£20/lot
CON10	Mylar film, clear, 100 micron, used as a release film, 1330 mm x 36 metres	£30/lot

fillers

FILL02	0.1 kg chopped carbon fibres, about 3 mm long, for adding to resin to strengthen (0.3 kg)	£10/0.1 kg
FILL04	0.2 kg ground glass fibres, about 0.2 mm long, for adding to resin to strengthen	£5/0.1 kg
FILL05	0.2 kg carbon dust, for adding to resin to strengthen	£10/0.1 kg
FILL06	0.2 kg microballoons, brown, for adding to resin to create bulk	£5/0.1 kg
FILL07	aluminium dust, for adding to resin to add weight and strength	£5/kg
FILL08	aluminium granules, around 2-4 mm 'diameter' irregular blobs, for adding to resin to add weight and strength	£5/kg

other

OTH05	Flourescent strip lamp, 1200 mm long, new (5 lamps)	£1.20/each
OTH06	Flourescent strip lamp, 1500 mm long, new (5 lamps)	£1.50/each
OTH06	Flourescent strip lamp, 1800 mm long, new (28 lamps)	£1.80/each
OTH06	Flourescent strip lamp, 1500 mm long, used (24 lamps)	£1/each
OTH08	Formula 5 Ambersil medium duty non-silicone release spray, 400 ml tin (4 tins)	£10/tin
OTH10	Lead shot, 4.4 kgs	£15/lot
OTH11	Self adhesive abrasive strips, 450 x 70 mm, 40, 50, 60, 80 & 120 grade	see website
OTH14	Partall. High temperature mould release wax. 340 gram tin. (1 tin)	£10/tin
OTH15	CUMULUS, Marblehead plan by Marine Modelling. Construction plan for a planked hull including rig plan. 1997 Bantock design.	£5

tools

TOOL01	Scissors, with curved blade, 80 mm blade	£40
TOOL03	Panavise, variable geometry vice with plastic jaws for light work, bolt to bench version	£30
TOOL06	Thermometer/hydrometer ATP, programmable for min and max	£10
TOOL07	G-clamps, 12" throat, economy versions, 10 quantity	£6/each
TOOL08	G-clamps, 6" throat, medium quality, 6 quantity	£6/each
TOOL09	G-clamps, 5" throat, medium quality, 3 quantity	£6/each
TOOL10	G-clamps, 4" throat, mix of Paramo, Axminster, Record, 21 quantity	£6/each
TOOL12	G-clamp, 4" throat, 4.5" reach, 1 quantity	£6/each
TOOL13	G-clamps, 2" throat, 3.5" reach, 3 quantity	£6/each
TOOL14	G-clamps, 4" throat, junior record, 4 quantity	£6/each
TOOL15	G-clamps, 3" throat, junior record, 2 quantity	£6/each
TOOL16	Edging clamps, 2.5" throat, 13 quantity	£5/each
TOOL17	Adjustable clamps, 6" throat, 2 quantity	£6/each
TOOL19	Dremel 732T1 remotely powered and speed controlled grinding/cutting tool, flexible drive shaft to take all standard Dremel tools, foot pedal to control speed, similar to current Fortiflex Dremel tool, on overhead cable system	NFS
TOOL20	Nilfisk GM80 vacuum cleaner, with micro filters, perfect for use with carbon and glass dust (1 available)	NFS
TOOL21	Metric Series tap. M3.5 x second. Right hand. 8 quantity	£1/each
TOOL22	Drill guide block for mast spars. SAILSetc item DB-MAST-110. Drill guide block that can be used to drill 11.0/11.1 mm Ø mast and 11.0 mm Ø boom spars with correctly aligned rigging holes. Standard version. Not quite perfect pieces.	Half list price.

end SAILSetc SP-02